Easy holidays. easydriver



Caravanning is getting easier with easydriver

One of the most enjoyable and exciting things in life is going on holidays. Of course there is nothing better than going caravanning. This is why the **design team at REICH** strive to improve things for making caravanning easier.

The new model easydriver helps in moving both single and twin axle caravans without stress or strain. You can choose the **easydriver pro** or **basic** model.

Manoeuvring on rough terrain or in a tight area is easy with easydriver. The smart start will manage any bend or curve. Either on the caravan site or at home you will have a safe hold anytime anywhere.

Most powerful: easydriver pro and basic

- > new easydriver remote control
- > low weight, neat and compact design
- with MPP lightest system (related to the Li-ionsystem-mobility-power-pack, a weight reduction of up to 27 kgs)
- > smallest turning circle
- just press the button and you can pivot electronically (easydriver pro)
- exceptional swivelling mechanism for the best power transmission
- radio controlled remote for all functions including check back signal for device status
- best traction in any terrain wet grass, mud, and slopes
- > soft start and soft stop facility

Just special: the easydriver corrosion protection

Using especially developed high tec materials for the housing all corrosion will be prevented.

No rust — perfect sustainability and long lasting value.

Single axle



easydriver pro 1.8 / 2.3 easydriver basic 1.8 / 2.3

Twin axle



easydriver pro 2.8 / 3.1 easydriver basic 2.8 / 3.1



easydriver pro

Fully automatic operation all at the touch of a button.

Caravanning is a special kind of lifestyle, that is why there is no messing around with our easydriver pro, this is the real deal. Suitable for vehicles of all sizes. Simply push the button to engage and disengage the electronic drive system.





easydriver

Easy operation with the stylish remote control.

Simply moving big things

- simple manoeuvring in any conditions
- one off a kind patented technology
- simply powerful
- precise and safe power transfer from the drive roller to the tyre due to an expanded swivel and innovative roller surface
- compact and simple design
- special mix of materials for light weight and corrosion resistant easydriver design
- individual swivelling mechanism with high performance sliding bearings
- simple coupling operation
- maximum ground clearance





Customise your easydriver with covers in your favourite colour.**

Technical details:

| | Single axle | | | | Twin axle | | | |
|---------------------------------|--|--|--|--|--|--|--|--|
| easydriver | pro 1.8 | pro 2.3 | basic 1.8 | basic 2.3 | pro 2.8 | pro 3.1 | basic 2.8 | basic 3.1 |
| Article no. | 527-15218 | 527-15223 | 527-15118 | 527-15123 | 527-15228 | 527-15231 | 527-15128 | 527-15131 |
| Weight | appr. 32 kg | appr. 34 kg | appr. 33 kg | appr. 35 kg | appr. 64 kg | appr. 68 kg | аррг. 66 kg | appr. 70 kg |
| Climbing power* | 15 % at 1.800 kg 28 % at 1.200 kg | 15 % at 2.300 kg 30 % at 1.200 kg | 15 % at 1.800 kg 28 % at 1.200 kg | 15 % at 2.300 kg 30 % at 1.200 kg | 12% at 2.800 kg 18% at 1.800 kg | 12 % at 3.100 kg 20 % at 1.800 kg | 12% at 2.800 kg 18% at 1.800 kg | 12% at 3.100 kg 20% at 1.800 kg |
| Cross Actuation | automatic operation | automatic operation | manual operation | manual operation | automatic operation | automatic operation | manual operation | manual operation |
| Power demand on level ground | аррг. 20 А | appr. 25 A | appr. 20 A | appr. 25 A | appr. 35 A | appr. 40 A | appr. 35 A | аррг. 40 А |
| Warranty | 5 Year | 5 Year | 5 Year | 5 Year | 5 Year | 5 Year | 5 Year | 5 Year |
| ** | - | ✓ | - | ✓ | - | ✓ | - | ✓ |

^{*} For a limited period of time you may easily negotiate steep inclines (levellers up to 25% or curbs).

easydriver: This comes with it.

MPP - Mobility-Power-Pack



All security demands

UN-standard.

are met – even the strict

Just easy! No need for battery or charging device any more. This Pack impacts the most modern "lithium-ionic" technology. Sustainable and reliable.

- a combination of power supply (8,8 Ah) + charge-electronic
- > 12 V nominal (14,6 max.), permanent load 80 A

integrated security functions

- provide a much longer life-time as traditional lead-acid battery
 - charging from power line cable, generator, solar-panel or fuel cell
 - dimensions: 200 x 200 x 102 mm

Charging Unit c-Go 10 A

very low weight: appr. 2 kg



consisting of: h 200 mm, d 254 mm)



consisting of:

h 238 mm, d 325 mm)

Energy-Sets

Set I for single axle

battery OPTIMA YT 5 4.2 (12 V,55 Ah, w 175 mm,

charging-device: c-Go 10 A



Set II for heavy twin axle

- battery OPTIMA YT 5 5.5 (12 V, 75 Ah, w 165 mm,
- charging device: c-Go 10 A

Twin-support "Easy-Wheel"



- fully automatic for AGM + GEL batteries — also usable without battery for voltage providing
- without van, TÜV, GS-certificate
- charging according IUoU-identification (max. charging current 10 A, charging current 14,4 V and 14,7 V — highest scaling — 14,8 V)

dimensions: 210 x 175 x 60 mm

low weight: appr. 1,3 kg





- easy and safe manoeuvering on all areas
- protects the caravan as well as the movingdevices from wear-out

easydriver basic

Simply engage and disengage the drive units by using a brace or cordless power tool.

Although the easydriver basic is our budget priced manoeuvring system it will not cost you when it comes to comfort and convenience. It is simply great for vehicles of all sizes. Manual engagement of the rollers with cross actuation as standard.





For additional accessories, please refer to: www.reich-easydriver.com

^{**} Available for the following models: 2.3 / 3.1. The installation of the coloured cover may call for higher costs. Please contact your local specialist dealer.



